

Equilibrium Constant Quiz Answer Key PDF

Equilibrium Constant Quiz Answer Key PDF

Disclaimer: The equilibrium constant quiz answer key pdf was generated with the help of StudyBlaze AI. Please be aware that AI can make mistakes. Please consult your teacher if you're unsure about your solution or think there might have been a mistake. Or reach out directly to the StudyBlaze team at max@studyblaze.io.

For the reaction N2(g) + 3H2(g) \rightleftharpoons 2NH3(g), what is the expression for Kc?

A. [NH3]^2 / [N2][H2]^3 ✓

- B. [N2][H2]^3 / [NH3]^2
- C. [NH3]² / [N2]²[H2]³
- D. [N2][H2]^3 / [NH3]

Which of the following are characteristics of a system at equilibrium? (Select all that apply)

A. Forward and reverse reactions occur at the same rate \checkmark

- B. Concentrations of reactants and products are equal
- C. The system is static
- D. The macroscopic properties are constant \checkmark

Explain how temperature affects the equilibrium constant of an exothermic reaction.

For an exothermic reaction, increasing the temperature shifts the equilibrium position to the left, resulting in a decrease in the equilibrium constant (K).

In the context of equilibrium, what does a large K value indicate?

- A. The reaction is fast
- B. The reaction is slow
- C. Products are heavily favored ✓
- D. Reactants are heavily favored

If Kc > 1 for a reaction, what does this indicate about the reaction at equilibrium?

- A. Reactants are favored
- B. Products are favored ✓

Create hundreds of practice and test experiences based on the latest learning science. Visit <u>Studyblaze.io</u>



- C. The reaction is at its midpoint
- D. The reaction is not at equilibrium

What conditions can change the value of the equilibrium constant (K)? (Select all that apply)

A. Temperature ✓

- B. Pressure
- C. Concentration
- D. Catalyst presence

What is the unit of Kc for the reaction $2A(g) + B(g) \Rightarrow 3C(g)$?

- A. M^2
- B. M^-1
- C. M^-2 ✓
- D. Unitless

Which of the following statements is true regarding the reaction quotient (Q)?

- A. Q is always equal to K at equilibrium
- B. Q can predict the direction of the reaction shift \checkmark
- C. Q is only calculated at equilibrium
- D. Q is independent of reactant concentrations

In an ICE table, what does the 'C' stand for? (Select all that apply)

A. Change ✓

- B. Concentration
- C. Constant
- D. Coefficient

What is the significance of a reaction having an equilibrium constant (K) close to 1?

The significance of a reaction having an equilibrium constant (K) close to 1 is that it implies the reaction reaches a state where the concentrations of reactants and products are similar, indicating a balance between the forward and reverse reactions.

Create hundreds of practice and test experiences based on the latest learning science. Visit <u>Studyblaze.io</u>



Which of the following are true for a reaction with Kc < 1? (Select all that apply)

- A. The reaction favors reactants \checkmark
- B. The reaction favors products
- C. The forward reaction is predominant
- D. The reverse reaction is predominant \checkmark

Provide an example of an industrial process that utilizes the concept of equilibrium constant and explain its importance.

An example of an industrial process that utilizes the concept of equilibrium constant is the Haber process, which synthesizes ammonia (NH3) from nitrogen (N2) and hydrogen (H2) gases. The equilibrium constant helps in determining the optimal conditions (temperature, pressure, and concentration) to maximize ammonia yield.

Which of the following statements are true about K p? (Select all that apply)

- A. K p is used for reactions involving gases ✓
- B. K p is always equal to K c
- C. K p depends on the change in moles of gas \checkmark
- D. K p is affected by changes in pressure \checkmark

How does Le Chatelier's Principle help predict the effect of pressure changes on a gaseous equilibrium?

Le Chatelier's Principle helps predict that increasing pressure will shift the equilibrium towards the side with fewer moles of gas, while decreasing pressure will shift it towards the side with more moles of gas.

What can be deduced if Q < K for a reaction? (Select all that apply)

A. The reaction will shift to the right \checkmark

- B. The reaction will shift to the left
- C. More products will form \checkmark
- D. More reactants will form

Which of the following is true about the equilibrium constant (K) when a reaction is at equilibrium?



- A. K is always equal to 1
- B. K is greater than 1
- C. K is less than 1
- D. K is constant at a given temperature ✓

What does the equilibrium constant (K) represent in a chemical reaction?

- A. The speed of the reaction
- B. The ratio of products to reactants at equilibrium \checkmark
- C. The amount of energy released
- D. The initial concentration of reactants

Discuss why the equilibrium constant does not provide information about the speed of a reaction.

The equilibrium constant does not provide information about the speed of a reaction because it only indicates the ratio of products to reactants at equilibrium, while the rate of reaction depends on kinetic factors such as activation energy and reaction mechanisms.

Describe the process of setting up an ICE table for a reaction and its purpose.

To set up an ICE table, first identify the balanced chemical equation for the reaction. Then, create a table with three rows labeled 'Initial', 'Change', and 'Equilibrium', and fill in the initial concentrations of reactants and products, the changes that occur as the reaction progresses, and finally calculate the equilibrium concentrations based on the changes.

Which factor does NOT affect the value of the equilibrium constant?

- A. Temperature
- B. Concentration of reactants
- C. Pressure
- D. Catalysts ✓