

Mean Median Mode And Range Worksheets Answer Key PDF

Mean Median Mode And Range Worksheets Answer Key PDF

Disclaimer: The mean median mode and range worksheets answer key pdf was generated with the help of StudyBlaze AI. Please be aware that AI can make mistakes. Please consult your teacher if you're unsure about your solution or think there might have been a mistake. Or reach out directly to the StudyBlaze team at max@studyblaze.io.

Part 1: Building a Foundation

What is the mean of the following data set: 4, 8, 6, 5, 3?

undefined. A) 4

undefined. B) 5.2 ✓

undefined. C) 6 undefined. D) 5

The mean is calculated by adding all the numbers and dividing by the count of numbers.

Which of the following statements are true about the median?

undefined. A) It is always one of the numbers in the data set. ✓

undefined. B) It can be affected by outliers.

undefined. C) It is the middle value when data is ordered. ✓

undefined. D) It is the most frequently occurring number.

The median is the middle value in an ordered data set and is not affected by outliers.

Explain how you would find the mode of a data set. Provide an example with your explanation.

The mode is the number that appears most frequently in a data set.

List the steps to calculate the range of a data set.

1. Step 1

Identify the highest value.

2. Step 2

Identify the lowest value.



3. Step 3

Subtract the lowest value from the highest value.

The range is calculated by subtractin the smallest value from the largest value.

Part 2: Comprehension and Application

If the data set is 3, 7, 7, 9, 10, what is the mode?

undefined. A) 3

undefined. B) 7 ✓

undefined. C) 9

undefined. D) 10

The mode is the number that occurs most often in the data set.

Which of the following are necessary to calculate the mean of a data set?

undefined. A) Total sum of all data points ✓

undefined. B) Number of data points ✓

undefined. C) The highest and lowest values

undefined. D) The frequency of each data point

To calculate the mean, you need the total sum of the data points and the number of data points.

Describe a scenario where the median would be a better measure of central tendency than the mean.

The median is less affected by outliers and can provide a better representation of the data in skewness.

A student scored 85, 90, 78, and 92 on four tests. What score must they achieve on the fifth test to have an average of 88?

undefined. A) 91

undefined. B) 95 √

undefined. C) 89

undefined. D) 90



To find the required score, set up the equation for the average and solve for the unknown.

Given the data set 12, 15, 15, 17, 20, which of the following are correct calculations?

undefined. A) Mean is 15.8

undefined. B) Median is 15 ✓

undefined. C) Mode is 15 ✓

undefined. D) Range is 8

The calculations involve finding the average, middle value, most frequent number, and the difference between the highest and lowest values.

Calculate the mean, median, mode, and range for the following data set: 10, 12, 12, 14, 16, 18.

Calculate each measure based on the provided data set to understand its distribution.

Part 3: Analysis, Evaluation, and Creation

In a data set, if an outlier is removed, which measure is most likely to change significantly?

undefined. A) Mean ✓

undefined. B) Median

undefined. C) Mode

undefined. D) Range

The mean is most affected by outliers, as it is sensitive to extreme values.

Analyze the following data set: 5, 7, 7, 8, 10, 10, 10, 12. Which of the following are true?

undefined. A) The mode is 10 ✓

undefined. B) The median is 8.5 ✓

undefined. C) The range is 7

undefined. D) The mean is 8.625

The analysis involves determining the correct values for the measures of central tendency.



Discuss how the mean and median would be affected if the highest value in a data set is increased significantly.

Increasing the highest value will likely raise the mean significantly, while the median may remain unchanged.

Which measure of central tendency would you recommend for analyzing a data set with extreme outliers, and why?

undefined. A) Mean undefined. B) Median ✓ undefined. C) Mode undefined. D) Range

The median is recommended as it is less affected by extreme values compared to the mean.

Create a data set of five numbers where the mean is 10, the median is 9, and the mode is 8. Which of the following could be part of your data set?

undefined. A) 8 ✓ undefined. B) 9 ✓ undefined. C) 10 ✓ undefined. D) 11

The data set must be constructed carefully to satisfy all three conditions.

Propose a real-world scenario where understanding the range of a data set is crucial. Explain how it impacts decision-making.

Understanding the range helps in assessing the spread of data, which is vital for informed decision-making.