

NCLEX Pharm Flashcards PDF

NCLEX Pharm Flashcards PDF

Disclaimer: The nclex pharm flashcards pdf was generated with the help of StudyBlaze AI. Please be aware that AI can make mistakes. Please consult your teacher if you're unsure about your solution or think there might have been a mistake. Or reach out directly to the StudyBlaze team at max@studyblaze.io.

What is the primary use of beta-blockers in pharmacology?
Beta-blockers are primarily used to manage hypertension, heart failure, and to prevent migraines.
What is the mechanism of action of ACE inhibitors?
ACE inhibitors work by inhibiting the angiotensin-converting enzyme, which decreases the production of angiotensin II, leading to vasodilation and reduced blood pressure.
What are the common side effects of diuretics?
Common side effects of diuretics include dehydration, electrolyte imbalances, and hypotension.
What is the antidote for opioid overdose?
The antidote for opioid overdose is Naloxone.
What is the therapeutic range for lithium?
The therapeutic range for lithium is typically between 0.6 to 1.2 mEq/L.



What are the signs of digoxin toxicity?
Signs of digoxin toxicity include nausea, vomiting, visual disturbances, and bradycardia.
What is the primary use of warfarin?
Warfarin is primarily used as an anticoagulant to prevent blood clots.
What should be monitored in patients taking statins?
Liver function tests and lipid levels should be monitored in patients taking statins.
What is the first-line treatment for type 2 diabetes?
The first-line treatment for type 2 diabetes is Metformin.
What is the mechanism of action of SSRIs?
SSRIs (Selective Serotonin Reuptake Inhibitors) work by increasing the levels of serotonin in the brain by inhibiting its reuptake.