

Worksheet On Osmosis And Diffusion Answer Key PDF

Worksheet On Osmosis And Diffusion Answer Key PDF

Disclaimer: The worksheet on osmosis and diffusion answer key pdf was generated with the help of StudyBlaze AI. Please be aware that AI can make mistakes. Please consult your teacher if you're unsure about your solution or think there might have been a mistake. Or reach out directly to the StudyBlaze team at max@studyblaze.io.

Part 1: Building a Foundation

What is the primary difference between osmosis and diffusion?

undefined. A) Osmosis involves the movement of solutes, while diffusion involves the movement of water.

undefined. **B) Osmosis involves the movement of water, while diffusion involves the movement of solutes.** ✓

undefined. C) Osmosis occurs in gases, while diffusion occurs in liquids.

undefined. D) Osmosis requires energy, while diffusion does not.

Osmosis involves the movement of water, while diffusion involves the movement of solutes.

Which of the following factors affect the rate of diffusion? (Select all that apply)

undefined. **A) Temperature** ✓

undefined. **B) Surface area** ✓

undefined. **C) Concentration gradient** ✓

undefined. D) Color of the solute

Factors such as temperature, surface area, and concentration gradient affect the rate of diffusion.

Explain what is meant by a semi-permeable membrane and its role in osmosis.

A semi-permeable membrane allows certain molecules to pass while blocking others, playing a crucial role in osmosis by regulating water movement.

List two types of solutions in osmosis and describe their effects on a cell.

1. Type of solution 1

Hypotonic solution

2. Effect on cell

Cell swells

3. Type of solution 2

Hypertonic solution

4. Effect on cell

Cell shrinks

Hypotonic solutions cause cells to swell, while hypertonic solutions cause cells to shrink.

Part 2: Understanding and Interpretation

In which type of solution does a cell maintain its normal shape and size?

undefined. A) Hypertonic

undefined. B) Hypotonic

undefined. C) Isotonic ✓

undefined. D) Supersonic

A cell maintains its normal shape and size in an isotonic solution.

Which statements are true about diffusion? (Select all that apply)

undefined. A) It requires energy input from the cell.

undefined. B) It moves substances down their concentration gradient. ✓

undefined. C) It can occur in gases, liquids, and solids. ✓

undefined. D) It is a form of active transport.

Diffusion moves substances down their concentration gradient and can occur in various states of matter.

Describe how temperature affects the rate of diffusion and provide an example.

Higher temperatures increase molecular movement, leading to faster diffusion rates; for example, sugar dissolves more quickly in hot water than in cold water.

Part 3: Application and Analysis

If a freshwater plant cell is placed in a saltwater solution, what is likely to happen?

undefined. A) The cell will swell and burst.

undefined. B) The cell will shrink and become plasmolyzed. ✓

undefined. C) The cell will remain unchanged.

undefined. D) The cell will divide rapidly.

The cell will shrink and become plasmolyzed due to water moving out of the cell.

Which scenarios demonstrate osmosis in action? (Select all that apply)

undefined. A) A raisin swelling in water. ✓

undefined. B) Perfume scent spreading in a room.

undefined. C) A plant wilting due to lack of water. ✓

undefined. D) Sugar dissolving in tea.

A raisin swelling in water and a plant wilting due to lack of water are examples of osmosis.

Imagine you are a scientist studying a new type of cell. How would you determine if osmosis is occurring in these cells?

You could measure changes in cell size or mass when placed in different solutions to determine if osmosis is occurring.

Which of the following best explains why a cell in a hypertonic solution loses water?

undefined. A) Water moves from high to low solute concentration. ✓

undefined. B) Water moves from low to high solute concentration.

undefined. C) Solutes move from high to low concentration.

undefined. D) Solutes move from low to high concentration.

Water moves from high to low solute concentration, causing the cell to lose water in a hypertonic solution.

Analyze the following statements and identify which are true regarding isotonic solutions. (Select all that apply)

undefined. A) There is no net movement of water. ✓

undefined. B) Cells in isotonic solutions will swell.

undefined. C) Solute concentrations are equal inside and outside the cell. ✓

undefined. D) Cells in isotonic solutions will shrink.

In isotonic solutions, there is no net movement of water, and solute concentrations are equal inside and outside the cell.

Compare and contrast diffusion and osmosis, highlighting their similarities and differences.

Diffusion is the movement of solutes, while osmosis specifically refers to the movement of water across a semi-permeable membrane; both processes involve movement from areas of higher concentration to lower concentration.

Part 4: Evaluation and Creation

Which experiment would best demonstrate the process of osmosis?

undefined. A) Observing a balloon deflate over time.

undefined. B) Measuring the rate of sugar dissolving in water.

undefined. C) Placing a potato slice in saltwater and measuring its mass change. ✓

undefined. D) Timing how long it takes for food coloring to spread in water.

Placing a potato slice in saltwater and measuring its mass change would best demonstrate osmosis.

Evaluate the following scenarios and identify which would likely result in osmosis. (Select all that apply)

undefined. A) A red blood cell in pure water. ✓

undefined. B) A plant cell in a concentrated sugar solution. ✓

undefined. C) A fish in a freshwater tank.

undefined. D) A human cell in an isotonic saline solution.

A red blood cell in pure water and a plant cell in a concentrated sugar solution would likely result in osmosis.

Design an experiment to test the effects of temperature on the rate of osmosis in plant cells. Include your hypothesis, materials, and procedure.

You would outline a hypothesis predicting that higher temperatures increase the rate of osmosis, list materials like plant cells and different temperature water baths, and describe a procedure for measuring changes in cell mass.